



Warrenton FPD
Station: 2

Location: 21209 NW SERVICE RD Warrenton MO 63383 STATE HIGHWAY W	Incident Type: 111 - Building fire
Lat/Long: N 38° 48' 30.43" W 91° 12' 59.76"	FDID: 11001 Incident #: 2023-855 Exposure ID: 73839015 Exposure #: 0 Incident Date: 06/12/2023 Dispatch Run #: 2023-28991
Location Type: 1 - Street address Population Density: Rural Cross Street, Directions or National Grid: STATE HIGHWAY W	

Report Completed by:	Dabbs , Matthew R	ID: 236	Date: 06/17/2023
Report Reviewed by:	Dabbs , Matthew R	ID: 236	Date: 06/17/2023
Report Printed by:	Ortega, Christine	ID:	Date: 6/19/2023 Time: 14:05

Structure Type: Enclosed building		Property Use: 131 - Church, mosque, synagogue, temple, chapel	
Automatic Extinguishment System Present: <input type="checkbox"/>	Detectors Present: <input type="checkbox"/>	Cause of Ignition: Cause under investigation	
Aid Given or Received: Automatic aid received		Primary action taken: 81 - Incident command	
Additional actions: 21 - Search , 10 - Fire control or extinguishment, other			
Losses	Pre-Incident Values		
Property:	Property:	Civilian Injuries: 0	Fire Service Injuries: 0
Contents:	Contents:	Civilian Fatalities: 0	Fire Service Fatalities: 0
Total:	Total:	Total Casualties: 0	Total Fire Service Casualties: 0
Total # of apparatus on call: 5		Total # of personnel on call: 10	

Neighboring Agencies
Agency Name: Jonesburg - High Hill Fire Protection District Agency ID: 07006 Agency Type: Fire
Agency Name: Lincoln County Fire Protection District #1 Agency ID: 05702 Agency Type: Fire
Agency Name: Marthasville Fire Protection District Agency ID: 11004 Agency Type: Fire
Agency Name: Wright City Fire Protection District Agency ID: 11003 Agency Type: Fire

Narrative from dispatch: 06/12/2023 16:32:12 06/12/2023 04:52 Call Received on 06/12/2023 @ 04:52 Location: 209 HWY U - N SECTOR SOMETHING IS ON FIRE OVER THERE UNSURE WHAT

06/12/2023 04:53

SMELLS LIKE HOT PLASTIC AND A LOT OF SMOKE

06/12/2023 04:55

The caller is not on scene (3rd party).

Smoke is visible.

The smoke is coming from: THE STORAGE UNITS AS FAR AS HE CAN TELL

The caller is unable to see through the smoke.

The color of the smoke is: BLACK

06/12/2023 04:55

06/12/2023 04:54

CC text: Smoke Investigation (Outside)

Caller Statement: SOMETHING IS ON FIRE OVER THERE UNSURE

SMELLS LIKE HOT PLASTIC AND A LOT OF SMOKE

06/12/2023 04:54

Response: .

Dispatch Code: 68C01 (HEAVY smoke)

06/12/2023 05:01

RP ADVISING COULD BE THE CHURCH UNSURE

06/12/2023 05:02

***** Appended notes from Work Area begin *****

Address: 1191.0 WB70, WARRENTON

Precinct: WPD Sector: WPD N ESZ: I70 WCAD1 & WF Source: E911

Law Enf: WPD Fire: WFPD EMS: WCAD

Opened DateTime: 06/12/2023 05:00:45

Notes: Call Received on 06/12/2023 @ 05:00

Location: 209 HWY U - N SECTOR

LOOKED AS IF A HOUSE WAS ON FIRE, ON NORTH SIDE OF HWY

***** Appended notes from Work Area end *****

06/12/2023 05:03

***** Appended notes from Work Area begin *****

Business Name: EXTRA SPACE STORAGE

Business Phone: (636) 456-7599

Address: 21121 NW SERVICE RD, WARRENTON Intersection: STATE HIGHWAY W

Category: 69E3 STRUCTURE FIRE COMMERCIAL Priority: 1

Precinct: WCSO Sector: SDN ESZ: WCAD1 & WFN Source: E911

Law Enf: WCSO Fire: WFPD EMS: WCAD

Opened DateTime: 06/12/2023 04:59:36

Notes: Call Received on 06/12/2023 @ 04:59

Location: 28482 SUNNYSIDE RD

ACROSS THE HIGHWAY SEES FLAMES COMING UP FROM THE STORAGE UNITS - THINKS ITS A HOUSE BY THE STORAGE UNIT

***** Appended notes from Work Area end *****

06/12/2023 05:04

WENTZVILLE FIRE NOTIFIED

06/12/2023 05:04

LOCATION NOTES: EAST OF DEERFIELD & WEST OF HAWTHORN TREE - THE SERVICE RD IS WPD THE HOUSES ARE COUNTY

06/12/2023 05:06

HAWKFIRE NOTIFIED

06/12/2023 05:06

LADDER TRUCK ST CHARLES CO

06/12/2023 05:07

LADDER TRUCK FROM WCFPD WILL SUFFICE PER COMMAND

06/12/2023 05:09

1424 ON SCENE 0503 HOURS

06/12/2023 05:12

PRIMARY SEARCH DELTA SIDE OF STRUCTURE PER COMMAND

06/12/2023 05:16

ONE COMMERCIAL STRUCTURE HEAVY SMOKE SHOWING 9714 HAS COMMAND

06/12/2023 05:17

HAVE ALL UNITS SWITCH TO VFIRE22 UPON ARRIVAL

06/12/2023 05:17

PER COMMAND, TONE MARTHASVILLE FOR A TANKER

06/12/2023 05:20

WORKING CHARLIE SIDE DEFENSIVE ATTACK

06/12/2023 05:21

PER COMMAND. 2ND ALARM REQ LINCOLN CO PUMPER SECOND PUMPER ST CHARLES AND JONESBURG, ADD TANKERS IF AVAILABLE

06/12/2023 05:22

ST CHARLES CO AND LINC CO NOTIFIED FOR ADDT PUMPER AND TANKER

06/12/2023 05:23

JONESBURG NOTIFIED

06/12/2023 05:25

9700 ASSUMING COMMAND

06/12/2023 05:27

PER COMMAND FIRE TO THE ROOF

06/12/2023 05:29

PER COMMAND AMEREN TO THE SCENE

06/12/2023 05:31

M11 SWITCHED OVER TO VFIRE22

06/12/2023 05:31

AMEREN NOTIFIED

06/12/2023 05:32

TANKERS USE CONCRETE DRIVEWAY PUMPERS USE GRAVEL DRIVEWAY PER COMMAND

06/12/2023 05:33

PER COMMAND COMPLETELEY THROUGH THE ROOF

06/12/2023 05:35

ASK TANKERS USE CONCRETE DRIVEWAY ADDITIONAL UNITS TO USE GRAVEL DRIVEWAY AND STAGE THERE

06/12/2023 05:37

MORE TANKERS CHECK NEW MELLE AND WASHINGTON FOR ADDITONAL TANKERS PER COMMAND

06/12/2023 05:37

NEWMELLE FIRE NOTIFIED FOR TANKER

06/12/2023 05:39

REQ SECOND TANKER FROM MARTHASVILLE PER 2100

06/12/2023 05:42

WASHFIRE NOTIFIED

06/12/2023 05:42

PER COMMAND HAVE ALL TANKERS STAGE ON THE SERVICE ROAD, ALSO NEED LE FOR TRAFFIC CONTROL CONTACT STATE FIRE MARSHALL

06/12/2023 05:47

FIRE MARSHALL CONTACTED

06/12/2023 05:53

Disposition - WCSO: DONE

06/12/2023 05:55

ALL TANKERS SWITCH TO VFIRE23 UPON ARRIVAL PER COMMAND

06/12/2023 05:55

PER COMMAND HAVE ALL TANKERS SWITCH TO VFIRE23 UPON ARRIVAL

06/12/2023 06:00

ADVISE FIRE THAT PER 227 THAT THE CHURCH PASTOR IS NOW ON SCENE

06/12/2023 06:02

227 RELOCATING TO N SERVICE AND HWY W

06/12/2023 06:06

FIRE THROUGHOUT THE BUILDING COMPLETE COLLAPSE DEFENSIVE ATTACK PER COMMAND

06/12/2023 06:07

219 ADVISE BUS GARAGE SHUTTING NW SERVICE FROM W TO OVERPASS

06/12/2023 06:07

BUS GARAGE ADVISED

06/12/2023 06:09

1400 REQUESTING LE TO STRAIGHT UP GRAVEL DRIVE TO COMMAND POST

06/12/2023 06:11

Disposition - ZHAWKPTF: NC

06/12/2023 06:14

AMEREN ON SCENE

06/12/2023 06:22

STATUS CHECK//

06/12/2023 06:23

STATUS COMPLETELY DEFENSIVE, ATTEMPTING TO SAVE CHARLIE PORTION OF BUILDING, EXPOSURE, ONE LADDER OPERATION, COMPLETE COLLAPSE FRONT BUILDING, ALL PERSONNEL ACCOUNTED FOR, DEFENSIVE

06/12/2023 06:39

STATUS CHECK//

06/12/2023 06:39

STATUS CLR ALL PERSONEL ACCOUNTED DEFENSIVE PUSH STATUS CHECK TO 30MINUTES

06/12/2023 06:40

WENT9850 RET

06/12/2023 07:10

STATUS CHECK// STATUS CLR UNDER CONTROL,ALL PERSONEL ACCOUNTWED,DEFENCIVE,OVERHALL,WAITING
MARTIAL,PUSH CHECKS TO 46 MINUTES

06/12/2023 07:34

REQUESTING 1700 TO RESPOND

06/12/2023 07:45

BRING 1 VEHICLE ONLY COME TO THE GRAVEL DRIVE AT A REHAB SECTOR SOUTH END OF INCIDENT BEHIND M11

06/12/2023 07:45

MEET WITH FIRE CORE REPS

06/12/2023 07:48

Disposition - ZWASHF: DIS

06/12/2023 07:49

STATE FIRE MARTIAL ON SCENE

06/12/2023 07:57

TATUS CHECK//

06/12/2023 07:56 833

STATUS CLR CONTINUING OVERHALL MARTIAL ON SCENE INVESTIGATION EXTENDED OPERATION

06/12/2023 08:22

JONE1314 AND JONE1313 RELASE AND REASSIGNED TO HOUSE 2

06/12/2023 08:34

Disposition - ZNEWMELLE: DONE

06/12/2023 08:42

STATUS CHECK - CLEAR CONTINUING STATUS CHECKS EVERY 90 MIN

06/12/2023 09:06

9779 IN ROUTE

06/12/2023 09:17

9779 ON SCENE,CN

06/12/2023 09:52

Disposition - WPD: DONE

06/12/2023 10:09

DISCONTINUING OPERATIONS ON SERVICE ROAD CLEAR TO RELEASE LAW ENFORCEMENT

06/12/2023 10:13

9700 STATUS CHECK - STANDBY

06/12/2023 10:27

Disposition - ZLINCOLNCOF: DONE

06/12/2023 10:30

9700 - DISCONTINUE STAT CHECK MOMENTARILY RELESING ST CLAIRE FROM HOUSE 1 AND WENTZVILL 9834 TO HOUSE 2

06/12/2023 10:31

WHEN 9834 IS RELEASED JONESBURG IS RELEASED

06/12/2023 10:43

Disposition - ZJONESBURGFD: DONE

06/12/2023 10:50

ATF ON SCENE - 450

06/12/2023 11:30

1400 ASSUMING COMMAND 9700 IS

06/12/2023 11:32

1400 ASSUMING COMMAND STATE FIRE MARSHALL INVESTIGATING ALL UNITS ACCOUNTED FOR

06/12/2023 11:47

1400 CONTACT MOTGOMERY COUTY WATER DISTRICT

06/12/2023 11:50

CALLED MONTGOMERY COUNTY WATER AND LEFT VOICEMAIL

06/12/2023 12:23

Disposition - WCSO: DONE

06/12/2023 12:38

9702 WITH INVESTIGATORS TRYING TO ASCERTAIN THE FIRST CALLER,SEARCHED CAD AND FOUND A JERRY POLSTON ASSOCIATED WITH IT

06/12/2023 13:06

Disposition - ZWENTZF: DONE

06/12/2023 13:06

Disposition - MFPD: DONE

06/12/2023 13:15

RELEASING 9712

06/12/2023 13:21

9712 RELEASED BY COMMAND STAYING OUT FOR FUEL

06/12/2023 14:28

Case Notes Structure Fire Abundant Life Church. Assist Fire and conducted prelim investigation before handing scene off to Missouri State Fire Marshalls and ATF. RPT 450

06/12/2023 16:01

INVESTIGATION COMPLETE,WORKING HOTSPOTS PICKING UP EQUIPMENT

06/12/2023 16:14

COMMAND RELASING EMS

06/12/2023 16:15

CASE NOTES 21209 NW SERVICE RD, WARRENTON, MO 63383 - Assisted ATF, Fire Marshal, 450- RPT

06/12/2023 16:19

Disposition - WCAD: DONE

06/12/2023 16:23

Disposition - EMA: DONE

06/12/2023 16:32

1400 STRIKE ALARM ALL UNIT IN SERVICE

06/12/2023 16:32

Disposition - WCSD: DONE

NARRATIVE (2)

Narrative Title: n/a

Narrative Author: Dabbs, Matthew

Narrative Date: 06/17/2023 21:01:17

Narrative Apparatus ID: 1424

Narrative:

Warrenton 1424 responded to a smoke investigation at Extra Space Storage. As we arrived on scene we noticed heavy smoke and an orange glow coming from the area of Abundant Life Church. We relocated to the church and had heavy smoke coming from the Alpha and Delta sides of the structure. Heavy fire was noticed on the delta side that appeared to be coming from the lower level. We made our way up the wooden stairs on the Delta side and forced entry through the door. We could tell through our thermal imaging camera that someone had been sleeping in the room as we found a mattress and a sleeping bag in the center of the room. We conducted a primary search of the room and it was all clear. We tried making fire attack through a door into the church but was met with temperatures over 600 degrees. We decided to exit the room and try to make entry through the Bravo side entrance. After forcing the door we again were met by extreme heat and fire. We pulled out and started a defensive attack as we had not established a water supply and had no additional units on the scene. Wright City Fire arrived and Captain Gibson took command. We established a tanker shuttle and put an aerial apparatus in the air to attack the fire. The fire was extinguished and the Missouri State Fire Marshal office as well as the ATF investigated the cause.

APPARATUS

Unit	1400	Unit	1413
Type:	Chief officer car	Type:	Tanker or tender
Use:	Other	Use:	Suppression
Response Mode:	Lights and Sirens	Response Mode:	Lights and Sirens
# of People	1	# of People	1
Alarm	06 /12/2023 04:52:12	Alarm	06 /12/2023 04:52:12
Dispatched	06 /12/2023 04:54:49	Dispatched	06 /12/2023 04:54:49
Enroute	06 /12/2023 05:29:35	Enroute	06 /12/2023 05:26:06
Arrived	06 /12/2023 05:43:11	Arrived	06 /12/2023 05:31:25
Cancelled	-- /--/-- --:--:--	Cancelled	-- /--/-- --:--:--
Cleared Scene	06 /12/2023 16:32:27	Cleared Scene	06 /12/2023 16:15:06
In Quarters	-- /--/-- --:--:--	In Quarters	-- /--/-- --:--:--
In Service	06 /12/2023 16:32:27	In Service	06 /12/2023 16:15:06
Unit	1414	Unit	1424
Type:	Engine	Type:	Engine
Use:	Suppression	Use:	Suppression
Response Mode:	Lights and Sirens	Response Mode:	Lights and Sirens
# of People	3	# of People	3
Alarm	06 /12/2023 04:52:12	Alarm	06 /12/2023 04:52:12
Dispatched	06 /12/2023 06:35:00	Dispatched	06 /12/2023 04:54:49
Enroute	06 /12/2023 06:35:48	Enroute	06 /12/2023 04:56:58
Arrived	06 /12/2023 06:41:24	Arrived	06 /12/2023 05:05:39
Cancelled	-- /--/-- --:--:--	Cancelled	-- /--/-- --:--:--
Cleared Scene	06 /12/2023 16:14:47	Cleared Scene	06 /12/2023 16:32:27
In Quarters	-- /--/-- --:--:--	In Quarters	-- /--/-- --:--:--
In Service	06 /12/2023 16:14:47	In Service	06 /12/2023 16:32:27
Unit	1433		
Type:	Tanker or tender		
Use:	Suppression		
Response Mode:	Lights and Sirens		
# of People	1		
Alarm	06 /12/2023 04:52:12		
Dispatched	06 /12/2023 04:54:49		
Enroute	06 /12/2023 05:20:09		
Arrived	06 /12/2023 05:23:54		
Cancelled	-- /--/-- --:--:--		
Cleared Scene	06 /12/2023 16:32:27		
In Quarters	-- /--/-- --:--:--		
In Service	06 /12/2023 16:32:27		

Number Of People not on apparatus: 1

FIRE

Acres Burned	None or Less Than One	Acres Burn From Wildland Form	False
Area Of Fire Origin	Undetermined	Heat Source	Undetermined
Item First Ignited	Undetermined	Fire Is Confined To Object Of Origin	
Type Of Material	Undetermined	Cause Of Ignition	Cause under investigation
Factor Contributing To Ignition	Undetermined		
Human Factors Contributing	None		

STRUCTURE FIRE

Structure Type	Enclosed building	Building Status	In normal use
# Of Stories At Above Grade	1	# Of Stories Below Grade	1
Square Feet	15000	Length	
Width		Floor Of Origin	1
Fire Spread	Confined to building of origin		
Minor Damage	0	Significant Damage	0
Heavy Damage	0	Extreme Damage	0
Item Contributing Most To Spread	Undetermined	Type Of Material Contributing Most To Spread	Undetermined

ARSON		
Agency Name	Agency Address	Agency Phone
ATF	-----	
Case Status	Availability Of Material First Ignited	
Investigation open		

CUSTOM FIELDS FORM	
Were people involved a resident or property owner within WFPD?	Yes

PERSONNEL ON CALL			
Name	Personnel Rank	Role(s)	Apparatus
Anderson, Teddie J	Captain		1414
Dabbs, Matthew R	Captain		1424
Determann, Scott A	Fire Marshal		1413
Dieckman, Neal A	Field Support Member		1433
Gomez, Jason	Firefighter - Medic		1414
Hayeslip, Anthony L	Fire Chief		1400
Mitchell, Andrew D.	Volunteer		Other
Mosher, Justin	Firefighter		1424
Patterson, Nolan A	Firefighter - EMT		1414
Zimmermann, Craig	Firefighter - EMT		1424

Member Making Report (Captain Matthew R Dabbs): _____

Incident Reviewer (Captain Matthew R Dabbs): _____